

EINSTEIN SOLID

Link to: [physicspages home page](#).

To leave a comment or report an error, please use the auxiliary blog.

Reference: Daniel V. Schroeder, *An Introduction to Thermal Physics*, (Addison-Wesley, 2000) - Problems 2.5 - 2.7.

A simple model of a solid proposed by Einstein in 1907 is that it consists of a collection of N oscillators with quantized energy units. We can think of each oscillator as a quantum harmonic oscillator, and each energy unit as a quantum of size $\hbar\omega$, but the concept applies to any system with energy units that are all the same size. In general, a solid with N oscillators can have q energy units to distribute amongst them, so the number of possible microstates of such a system is the number of ways of distributing q balls into N bins. This is a standard problem in combinatorics, and the solution goes as follows.

We can represent the q balls by Xs and the N bins by $N - 1$ vertical bars, where each bar serves to separate the contents of one bin from its neighbour. Thus if we have $N = 3$ and $q = 4$, the possible microstates are

||XXXX
|XXXX|
XXXX||
|X|XXX
|XX|XX
|XXX|X
X||XXX
XX||XX
XXX||X
X|XXX|
XX|XX|
XXX|X|
X|X|XX
X|XX|X
XX|X|X

In general, the number of microstates is the number of ways of choosing q (or $N - 1$) objects from a total of $q + N - 1$ objects, without regard to order, which is just the binomial coefficient $\binom{q+N-1}{q}$. For the example just given,

$$(1) \quad \binom{q+N-1}{q} = \binom{6}{4} = 15$$

which corresponds to the 15 cases listed above.

In his problem 2.5, Schroeder asks us to list the microstates for several other values of N and q , but this gets pretty tedious and the general idea should be obvious from the above. We'll just list the number of microstates for each case.

N	q	$\binom{q+N-1}{q}$
3	5	21
3	6	28
4	2	10
4	3	20
1	anything	1
anything	1	N
30	30	59132290782430712

Admittedly, Schroeder does tell us not to attempt to list all the microstates for the last line(!)

Well OK, just one more example, with $N = 4$ and $q = 2$.

|||XX
 ||XX|
 |XX||
 XX|||
 ||X|X
 |X|X|
 X|X||
 |X||X
 X|||X
 X||X|

PINGBACKS

Pingback: Interacting Einstein solids

Pingback: Two-state paramagnet as an Einstein solid

Pingback: Einstein solids: multiplicity of large systems

Pingback: Interacting Einstein solids: sharpness of the multiplicity function

Pingback: Entropy

Pingback: Einstein solid - numerical solution

Pingback: Einstein solid: analytic solution for heat capacity

Pingback: Chemical potential; application to the Einstein solid