

## DYSPROSIUM ELECTRON CONFIGURATION

Link to: [physicspages home page](#).

To leave a comment or report an error, please use the auxiliary blog.

References: Griffiths, David J. (2005), Introduction to Quantum Mechanics, 2nd Edition; Pearson Education - Problem 5.14.

The rare-earth element dysprosium has atomic number 66, and its ground state is listed as  $^5I_8$ . This means that  $S = 2$ ,  $L = 6$  (since after  $F = 3$ , the labels go in alphabetical order, so  $G = 4$ ,  $H = 5$  and  $I = 6$ ), and  $J = 8$ . This isn't enough information on its own to determine the electron configuration, since the outer shells don't fill in strict order of  $n$  and  $L$  due to shielding effects. For these shells, the  $s$  shell of level  $n + 1$  is filled before the  $p$  shell of level  $n$ , and the  $d$  shell of  $n + 1$  before the  $p$  of  $n$  and so on. Given the maximum populations of the various shells ( $s$  has a maximum of 2,  $p$  of 6,  $d$  of 10 and  $f$  of 14), a possible configuration for dysprosium is

$$(1s)^2 (2s)^2 (2p)^6 (3s)^2 (3p)^6 (4s)^2 (3d)^{10} (4p)^6 (5s)^2 (4d)^{10} (5p)^6 (6s)^2 (4f)^{10}$$

We can check this against the given values. The last shell ( $4f$ ) contains 10 out of a possible 14 electrons. According to Hund's first rule, these should be arranged to give the maximum possible spin, which would mean 3 pairs and 4 unpaired electrons with parallel spin. This gives  $S = 4 \times \frac{1}{2} = 2$  which matches the listing above. The value of  $L$  is difficult to check, since it depends on symmetry requirements which would be difficult (though possible, if you're persistent) to calculate for the 4 unpaired electrons. However, the 4 unpaired electrons in the  $4f$  shell have a maximum possible  $L$  of  $L = 12$ , so  $L = 6$  is certainly possible. Having  $L$  and  $S$ , we can apply Hund's third rule which in this case says that  $J = L + S$  since the last shell is more than half full.