

## VARIATIONAL PRINCIPLE AND THE DELTA FUNCTION WELL

Link to: physicspages home page.

To leave a comment or report an error, please use the auxiliary blog.

References: Griffiths, David J. (2005), Introduction to Quantum Mechanics, 2nd Edition; Pearson Education - Problem 7.3.

Here's another example of the variational principle, this time applied to the delta function well. We use a normalized function  $\psi$  as a test function for the hamiltonian  $H$  and get an upper bound on the ground state energy  $E_0$ :

$$(1) \quad E_0 \leq \langle \psi | H | \psi \rangle \equiv \langle H \rangle$$

In this case, the potential is given by

$$(2) \quad V(x) = -\alpha \delta(x)$$

and we'll take as the test function

$$(3) \quad \psi = \begin{cases} 0 & x < -a \\ A(x+a) & -a \leq x < 0 \\ A(-x+a) & 0 \leq x < a \\ 0 & x \geq a \end{cases}$$

where  $A$  and  $a$  are parameters.

We can find  $A$  from normalization:

$$(4) \quad |A|^2 \left[ \int_{-a}^0 (x+a)^2 dx + \int_0^a (-x+a)^2 dx \right] = 1$$

$$(5) \quad \frac{2}{3} |A|^2 a^3 = 1$$

$$(6) \quad A = \frac{\sqrt{6}}{2a^{3/2}}$$

To calculate  $\langle H \rangle$ , we need the second derivative of  $\psi$ , so we have

$$(7) \quad \frac{d\psi}{dx} = \begin{cases} 0 & x < -a \\ A & -a \leq x < 0 \\ -A & 0 \leq x < a \\ 0 & x \geq a \end{cases}$$

For the second derivative, we need the derivative of the step function, which is a delta function, so we get

$$(8) \quad \frac{d^2\psi}{dx^2} = A\delta(x+a) - 2A\delta(x) + A\delta(x-a)$$

Following the usual procedure and using 2, we get:

$$(9) \quad \langle H \rangle = -\frac{\hbar^2 A}{2m} \int_{-a}^a [\delta(x+a) - 2\delta(x) + \delta(x-a)] \psi(x) dx - \alpha(Aa)^2$$

$$(10) \quad = \frac{\hbar^2 A^2}{m} a - \alpha(Aa)^2$$

$$(11) \quad = \frac{3}{2a^3} \left( \frac{\hbar^2 a}{m} - \alpha a^2 \right)$$

The first and third delta functions in 9 contribute nothing since  $\psi(-a) = \psi(a) = 0$ , and we substitute 6 into 10 to get 11.

The free parameter here is  $a$ , so taking the derivative with respect to  $a$  and setting to zero, we get

$$(12) \quad a_{min} = \frac{2\hbar^2}{\alpha m}$$

$$(13) \quad E_0 \leq -\frac{3}{8} \frac{\alpha^2 m}{\hbar^2}$$

The exact bound state energy is  $E_0 = -\frac{\alpha^2 m}{2\hbar^2}$  so this upper limit is higher by  $\frac{\alpha^2 m}{8\hbar^2}$ .