

BLACK HOLE ENTROPY

Link to: [physicspages home page](#).

To leave a comment or report an error, please use the auxiliary blog.

Reference: Moore, Thomas A., *A General Relativity Workbook*, University Science Books (2013) - Chapter 16; Problem P16.7.

Bizarre as it seems, an entropy can be defined for a black hole. From thermodynamics (which we haven't covered yet, so you'll need to look elsewhere for a derivation for now), the entropy S of a system is defined in terms of its temperature T and internal energy U by

$$\boxed{\frac{1}{T} \equiv \frac{\partial S}{\partial U}} \quad (1)$$

A black hole's internal energy is just its mass, so $U = M$, and we found an expression for its temperature earlier:

$$T = \frac{\hbar}{8\pi k_B G M} \quad (2)$$

We can thus work out the entropy as a function of mass:

$$\frac{\partial S}{\partial M} = \frac{8\pi k_B G}{\hbar} M \quad (3)$$

$$S = \frac{4\pi k_B G}{\hbar} M^2 \quad (4)$$

where the last line assumes that $S = 0$ at $M = 0$. From this, we can see that if we combine two black holes with masses M_1 and M_2 , the total entropy of the system increases.

$$S_{tot} = \frac{4\pi k_B G}{\hbar} (M_1 + M_2)^2 \quad (5)$$

$$= \frac{4\pi k_B G}{\hbar} (M_1^2 + M_2^2 + 2M_1 M_2) \quad (6)$$

$$= S_1 + S_2 + \frac{8\pi k_B G}{\hbar} M_1 M_2 \quad (7)$$

PINGBACKS

Pingback: [Black hole in equilibrium with a thermal reservoir](#)

Pingback: [Black hole entropy: it's pretty large](#)
Pingback: [Black hole entropy](#)